



---

## SAFETY DATA SHEETS

---

Janola Power Clean Toilet Bleach  
Gel Ultra Strength

Version: 3

Issued: 29<sup>th</sup> January 2015

Page 1 of 7

---

### CLASSIFICATION OF MATERIAL

---

Classified as hazardous according to criteria of the Hazardous Substances [Classification]  
Regulations 2001 (New Zealand)

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

---

- |     |                                     |  |
|-----|-------------------------------------|--|
| 1.1 | <b>Product:</b>                     | Janola Power Clean Toilet Bleach Gel Ultra Strength  |
| 1.2 | <b>UN Proper Shipping Name:</b>     | None allocated   |
| 1.3 | <b>Recommended Use:</b>             | Toilet cleaner   |
| 1.4 | <b>Supplier:</b>                    | Pental Products Pty Ltd  |
| 1.5 | <b>A.B.N:</b>                       | 68 103 213 467   |
| 1.6 | <b>Address (Australia):</b>         | 48 Drummond Road, Shepparton, Victoria, 3630   |
|     | <b>Address (New Zealand):</b>       | Unit GE, 43 Omega Street, Rosedale, North Shore City, 0632   |
| 1.7 | <b>Telephone Numbers:</b>           | (03) 5820 5200 (Australia), +64 27 6999229 (New Zealand).  |
| 1.8 | <b>Facsimile:</b>                   | (03) 5820 5221 (Australia).  |
| 1.9 | <b>Emergency Telephone Numbers:</b> | (03) 5820 5200 (Australia: Weekdays 8.00am to 5.00pm)<br>Poisons Information Centre Australia: 13 1126<br>Poisons Information Centre New Zealand: 0800 764 766 |

### 2. HAZARDS IDENTIFICATION

---

- |     |                               |  |
|-----|-------------------------------|--|
| 2.1 | <b>Hazard Classification:</b> | Hazardous Substance. Non-Dangerous Goods.  |
| 2.2 | <b>HSNO Classification:</b>   | 6.1E Substance that is acutely toxic (oral).<br>8.2C Substance that is corrosive to dermal tissue.<br>8.3A Substance that is corrosive to ocular tissue.   |
| 2.3 | <b>Hazard Statements:</b>     | H303 May be harmful if swallowed.<br>H314 Causes severe skin burns and eye damage.<br>H318 Causes serious eye damage.  |
| 2.4 | <b>Prevention Statements:</b> | P102 Keep out of reach of children.<br>P103 Read label before use.<br>P104 Read Safety Data Sheet before use.<br>P260 Do not breathe mist, vapours or spray.<br>P264 Wash skin thoroughly after handling.<br>P280 Wear protective gloves, protective clothing, eye protection and face protection. |

# SAFETY DATA SHEETS

Janola Power Clean Toilet Bleach  
Gel Ultra Strength

Version: 3

Issued: 29<sup>th</sup> January 2015

Page 2 of 7

- 2.5 Response Statements:** P101 If medical advice is needed, have product container or label at hand. P301+P330+P331, P310 If swallowed, rinse mouth, do NOT induce vomiting. Immediately call a Poison Centre or doctor. P303+P361+P353, P310, P363 If on skin (or hair), immediately remove all contaminated clothing. Rinse skin with water. Immediately call a Poison Centre or doctor. Wash contaminated clothing before re-use. P304+P340, P310 If inhaled, remove to fresh air and keep in a position comfortable for breathing. Immediately call a Poison Centre or doctor. P305+P351+P338, P310 If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Centre or doctor.
- 2.6 Storage Statements:** P405 Store locked up.
- 2.7 Disposal Statements:** P501 Dispose of waste material through a licensed contractor or facility.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Proportion %
Sodium Chloride	7647-14-5	< 10
Sodium Hypochlorite	7681-52-9	< 5
Sodium Laureth Sulphate	68585-34-2	< 2
Cocamine Oxide	70592-80-2	< 2
Sodium Hydroxide	1310-73-2	< 1.2
Fragrance	Proprietary	< 0.1
Ingredients determined not to be hazardous	-	Balance

## 4. FIRST AID MEASURES

### 4.1 Description of Necessary First Aid Measures

- Ingestion:** Do not induce vomiting. Immediately remove product from the mouth and wash out mouth with plenty of water. Obtain immediate medical attention.
- Eye:** Immediately hold the eyes open and wash with fresh running water. Take care not to rinse contaminated water into non-affected eye. Ensure complete irrigation of the eye by keeping the eyelids apart and away from the eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or at least 15 minutes. Obtain immediate medical attention.
- Skin:** Remove contaminated clothing and wash skin thoroughly with running water. Ensure contaminated clothing is washed before re-use, or discard. Obtain medical attention.
- Inhalation:** Remove from source of exposure. Apply artificial respiration if not breathing. If symptoms develop, obtain medical attention.

### 4.2 Medical Attention and Special Treatment

- First Aid Facilities:** An eye wash fountain, safety shower and a general washing facility should be available immediately adjacent to the work area.
- Comments:** Treat according to person's condition and specifics of exposure.

# SAFETY DATA SHEETS

Janola Power Clean Toilet Bleach  
Gel Ultra Strength

Version: 3 Issued: 29<sup>th</sup> January 2015

Page 3 of 7

Advice to Doctor:

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

- 5.1 Suitable Extinguishing Equipment:** Use appropriate fire extinguisher for surrounding environment.
- 5.2 Specific Hazards Arising From The Chemical:** This product is not combustible. This material may decompose and produce toxic and/or irritating fumes under fire conditions.
- 5.3 Special Protective Equipment and Precautions For Fire Fighters:** Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool. Self-containing breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals.

## 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:** Determine whether to evacuate or isolate the area according to your local emergency plan. Increase ventilation. Evacuate all unprotected personnel. Use full protective clothing and equipment to minimise exposure.
- 6.2 Environmental Precautions:** Prevent run off into drains and waterways. If a large quantity of this material enters the environment, contact the relevant regulatory authorities. Dispose of waste according to the New Zealand Hazardous Substances (Disposal) Regulations 2001.
- 6.3 Methods and Materials for Containment and Clean Up:** Observe all personal protective equipment recommendations described in this MSDS. Contain spill. Place inert absorbent material onto spillage. Use clean non-sparking tools to collect the material and place into clean, dry, suitable labelled containers and close lids tightly. Wash contaminated surfaces well with water. Laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which laws and regulations are applicable.

## 7. HANDLING AND STORAGE

- 7.1 Precautions for Safe Handling:** Corrosive liquid. Attacks skin and eyes. May produce severe burns. Wear suitable protective clothing, gloves and eye/face protection when mixing or using. Use in a well ventilated area. Do not store or use in confined spaces. Avoid breathing in spray, mists or vapours. Avoid eye contact. Avoid prolonged contact with the skin. Any exposure without protection should be prevented. Do not take internally. Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking, smoking or using toilet facilities.
- 7.2 Conditions for Safe Storage, Including Any Incompatibilities:** Store in a cool, dry, well ventilated area, away from heat and out of direct sunlight. Keep well closed when not in use and securely sealed against physical damage.

# SAFETY DATA SHEETS

Janola Power Clean Toilet Bleach  
Gel Ultra Strength

Version: 3 Issued: 29<sup>th</sup> January 2015

Page 4 of 7

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**8.1 National Exposure Standards:** No exposure standards have been established for this material by the Occupational Safety and Health Service (OSH) of the New Zealand Department of Labour. However, exposure standards for ingredients as defined by the Occupational Safety and Health Service (OSH) Workplace Exposure Standards and Biological Indices (December 2010) are stated below:

### Ingredients

Sodium Hydroxide  
(CAS No. 1310-73-2)

### Exposure Limits

Time Weighted Average (TWA): 2 mg/m<sup>3</sup> (Peak limitation)  
and - ppm.

Short Term Exposure Limit (STEL): - mg/m<sup>3</sup> and - ppm.

**8.2 Biological Limit Values:**

No biological limit allocated.

**8.3 Engineering Controls:**

Ensure adequate ventilation. If mists or vapours are produced local exhaust ventilation should be used.

**8.4 Personal Protective Equipment:**

### Respiratory:

Domestic quantities require no special equipment with normal careful use. When handling bulk quantities. Avoid breathing mists or vapours. Where ventilation is inadequate and mists or vapours are generated, respiratory protective equipment should be used suitable for protecting against airborne contaminants. Reference should be made to Australian Standards: AS/NZS 1715 Selection, use and maintenance of respiratory protective devices; and AS/NZS 1716 Respiratory protective devices.

### Eye:

Wear safety glasses or goggles or face shield if handling large quantities. Do not wear contact lenses. Ensure eyewash is available. Eye protection should conform with AS/NZS 1337 Eye protectors for industrial applications.

### Skin:

Wear gloves of impervious material. Refer to AS/NZS 2161.1 Occupational protective gloves – Selection use and maintenance.

Wear appropriate clothing, including a chemical resistant apron, where clothing is likely to be contaminated. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial Clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**9.1 Physical Description / Properties**

### Appearance:

Clear, pale yellow, thickened liquid.

### Odour:

Not available

### pH:

> 11.5

### Viscosity

200 – 300 cP

### Vapor Pressure:

Not available

### Vapor Density:

Not available

### Boiling Point (°C):

100°C

### Freezing Point (°C):

Not available

### Melting Point (°C):

Not available

### Solubility In Water:

Soluble

### Specific Gravity (@ 25°C):

1.08

# SAFETY DATA SHEETS

Janola Power Clean Toilet Bleach  
Gel Ultra Strength

Version: 3

Issued: 29<sup>th</sup> January 2015

Page 5 of 7

Flash Point (°C):	Not available
Flammability	Not combustible
Lower Explosive Limit (%):	Not available
Upper Explosive Limit (%):	Not available
Autoignition Temp (°C):	Not available
Decomposition Temp (°C):	Not available

## 10. STABILITY AND REACTIVITY

10.1	Reactivity:	Hazardous polymerisation will not occur.
10.2	Chemical Stability:	The product is stable under normal ambient conditions of temperature and pressure.
10.3	Conditions To Avoid:	Sparks, flames and other ignition sources. Direct sunlight and heat.
10.4	Incompatible Materials:	Strong oxidising agents and strong acids.
10.5	Hazardous Decomposition Products:	Thermal decomposition may result in the release of toxic and/or irritating fumes.

## 11. TOXICOLOGICAL INFORMATION

11.1 Likely Route of Exposure:  Inhalation       Skin contact       Ingestion

11.2 Health Effects From Likely Route of Exposure:

### Acute

**Ingestion:** Ingestion of this product may cause nausea, vomiting, abdominal pain and chemical burns to the mouth, throat and stomach.

**Eye:** Causes burns. Eye contact will cause stinging, blurring, lachrymation, severe pain and possible permanent corneal damage, if not treated immediately. Burns to the eye may cause blindness.

**Skin:** Corrosive to the skin. Skin contact will cause redness, itching, irritation, severe pain and chemical burns with resultant tissue destruction.

**Inhalation:** Inhalation of mists or vapours may result in respiratory irritation and possible harmful corrosive effects including lesions of the nasal septum, pulmonary oedema, pneumonitis and emphysema. The symptoms of pulmonary oedema may not manifest until a few hours have passed and they are aggravated by physical effort.

### Chronic

**Ingestion:** Not available.

**Skin:** Prolonged or repeated skin contact may lead to dermatitis in some individuals.

**Inhalation:** Chronic exposure by inhalation may lead to respiratory disorders, or it may aggravate existing respiratory disorders, such as emphysema and chronic bronchitis.

11.3 Toxicology: No toxicity data are available for this specific product. The available data for the ingredients are as follows:

Sodium Hydroxide

LD50 (Intraperitoneal, Mouse); 40 mg/kg.

Skin (Rabbit, 500 mg/24 hour): Severe irritation.

Eyes (Rabbit, 1mg/30 sec rinse): Severe irritation.

# SAFETY DATA SHEETS

Janola Power Clean Toilet Bleach  
Gel Ultra Strength

Version: 3

Issued: 29<sup>th</sup> January 2015

Page 6 of 7

## 12. ECOLOGICAL INFORMATION

- |      |                                       |  |
|------|---------------------------------------|--|
| 12.1 | <b>Ecotoxicity:</b>                   | No information available.  |
| 12.2 | <b>Persistence and Degradability:</b> | No information available.  |
| 12.3 | <b>Bioaccumulation Potential:</b>     | No information available.  |
| 12.4 | <b>Mobility in Soil:</b>              | No information available.  |
| 12.5 | <b>Other Adverse Effects:</b>         | Avoid contaminating waterways. Do not discharge the product into drains or sewers. |

## 13. DISPOSAL CONSIDERATIONS

- |      |  |  |
|------|--|--|
| 13.1 | <b>Disposal Method:</b>                    | Reclaim or dispose of in accordance with the New Zealand Hazardous Substances (Disposal) Regulations 2001. |
| 13.2 | <b>Disposal of Contaminated Packaging:</b> | Empty container. Rinse container, remove or obliterate labelling before sending to landfill or recycler.   |
| 13.3 | <b>Environmental Regulations:</b>          | Performed in accordance with the New Zealand Hazardous Substances (Disposal) Regulations 2001.             |

## 14. TRANSPORTATION INFORMATION

- |      |   |                |
|------|---|----------------|
| 14.1 | <b>UN Number:</b>                       | Not applicable |
| 14.2 | <b>UN Proper Shipping Name:</b>         | Not applicable |
| 14.3 | <b>Dangerous Goods Class:</b>           | Not applicable |
|      | <b>Packing Group:</b>                   | Not applicable |
| 14.4 | <b>Environmental Hazards:</b>           | Not applicable |
| 14.5 | <b>Special Precautions for User:</b>    | Not applicable |
| 14.6 | <b>HAZCHEM Code:</b>                    | Not applicable |
|      | <b>Additional Shipping Information:</b> | Not applicable |

## 15. REGULATORY INFORMATION

- |      |                                |  |
|------|--------------------------------|--|
| 15.1 | <b>Regulatory Information:</b> | All ingredients are listed on, or exempt from, the <i>New Zealand Inventory of Chemicals (NZIoC)</i> . |
| 15.2 | <b>Group Standard:</b>         | Cleaning Products (Corrosive) Group Standard 2006  |
| 15.3 | <b>HSNO Approval Number:</b>   | HSR002526  |

# SAFETY DATA SHEETS

Janola Power Clean Toilet Bleach  
Gel Ultra Strength

Version: 3

Issued: 29<sup>th</sup> January 2015

Page 7 of 7

## 16. OTHER INFORMATION

- 16.1 Issue Date:** 29<sup>th</sup> January 2015
- 16.2 Contact Points:**
- Title / Position:** Research & Development Manager
- Telephone:** (03) 5820 5204 (Australia: Weekdays 8.00am to 5.00pm)
- E-mail:** enquiries@pental.com.au
- 16.3 After Hours Emergency Medical Assistance:** Poisons Information Centre
- Telephone:** Australia: 13 1126  
New Zealand: 0800 764 766

### Disclaimer:

This information is provided based on our current knowledge and is intended to describe the product for the purpose of health, safety and environment requirements only. Pental Products Pty Ltd makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material. Since Pental Products Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product.

This document is copyright. No part may be reproduced by any process without written permission from Pental Products Pty Ltd. ® indicates Registered Trademark

**DOCUMENT END**