

48 Drummond Road Shepparton VIC 3630 Telephone: 03 5820 5200

: 03 5820 5221 ABN 68 103 213 467 Fax

SAFETY DATA SHEETS

White King In-Bowl Power Hanger

Issued: 25th March 2014 Version: 1 Page 1 of 7 **Aqua Fresh**

CLASSIFICATION OF MATERIAL

Classified as hazardous according to criteria of the Globally Harmonised System of Classification and Labelling of Chemicals 3rd Revised Edition.

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 White King In-Bowl Power Hanger Agua Fresh **Product:**

1.2 **UN Proper Shipping Name:** None allocated 1.3 **Recommended Use:** Toilet bowl cleaner Supplier: Pental Products Pty Ltd

1.5 A.B.N: 68 103 213 467

1.6 Address (Australia): 48 Drummond Road, Shepparton, Victoria, 3630

1.7 **Telephone Number:** (03) 5820 5200 (Australia). 1.8 Facsimile: (03) 5820 5221 (Australia).

1.9 (03) 5820 5200 (Australia: Weekdays 8.00am to 5.00pm) **Emergency Telephone Numbers:**

Poisons Information Centre Australia: 13 1126

Poisons Information Centre New Zealand: 0800 764 766

2. HAZARDS IDENTIFICATION

2.1 **Hazard Classification:** Hazardous Substance. Non-Dangerous goods.

2.2 **GHS Classification:** Eye Damage Category 1.

Skin Irritation Category 2.

2.3 Signal Word: DANGER

Hazard Statements: 2.4 H303 May be harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

2.5 **Prevention Statements:** P102 Keep out of reach of children.

P103 Read label before use.

P104 Read Safety Data Sheet before use.

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves, eye protection and face protection.

2.6 **Response Statements:** P101 If medical advice is needed, have product container or label at hand.

P301+P312, P330, P331 If swallowed: call a Poison Centre or doctor if

you feel unwell. Rinse mouth. Do NOT induce vomiting.

P302+P352, P332+P313, P362 If on skin: wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off

contaminated clothing and wash before re-use.

P305+P351+P338, P310 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Centre or doctor.

2.7 **Storage Statements:** None.



PENTAL LIMITED TRADING AS PENTAL PRODUCTS PTY LTD

48 Drummond Road Telephone : 03 5820 5200 Shepparton VIC 3630 Fax : 03 5820 5221

Shepparton VIC 3630 Fax : 03 5820 5221 ABN 68 103 213 467

SAFETY DATA SHEETS

White King In-Bowl Power Hanger
Aqua Fresh

Version: 1 Issued: 25th March 2014 Page 2 of 7

2.8 Disposal Statements: P501 Dispose of waste material through a licensed contractor or facility.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Proportion %
Benzenesulphonic Acid, Mono-C10-13-Alkyl Derivs., Sodium Salts	68411-30-3	10 - 30
Sodium Dichloroisocyanurate Dihydrate	51580-86-0	5 - 10
Fragrance	Proprietary	< 5
Ingredients determined not to be hazardous	-	Balance

4. FIRST AID MEASURES

4.1 Description of Necessary First Aid Measures

Ingestion: Do not induce vomiting. Immediately remove product from the

mouth and wash out mouth with plenty of water. Obtain

medical attention.

Eye: Immediately hold the eyes open and wash with fresh running

water. Take care not to rinse contaminated water into nonaffected eye. Remove contact lenses, if present and safe to do so. Ensure complete irrigation of the eye by keeping the eyelids apart and away from the eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or at least 15 minutes. Obtain immediate

medical attention.

Skin: Remove contaminated clothing and wash skin thoroughly with

soap and running water. Ensure contaminated clothing is washed before re-use, or discard. If symptoms develop, seek

medical attention.

Inhalation: Remove from source of exposure. Ensure airways are clear

and have a qualified person give oxygen through a face mask if breathing is difficult. If symptoms develop, seek medical

attention.

4.2 Medical Attention and Special Treatment

First Aid Facilities: An eye wash fountain, safety shower and a general washing

facility should be available immediately adjacent to the work

area.

Comments: Treat according to person's condition and specifics of

exposure.

Advice to Doctor: Treat symptomatically.

White King In-Bowl Power Hanger
Aqua Fresh

Version: 1 Issued: 25th March 2014

5. FIRE FIGHTING MEASURES

5.1 Suitable Extinguishing Equipment: Use appropriate fire extinguisher for surrounding

environment.

5.2 Specific Hazards Arising From The

Chemical:

Non-combustible.

5.3 Special Protective Equipment and Precautions For Fire Fighters:

Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool. Self-containing breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals.

Page 3 of 7

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid eye and skin contact. Determine whether to evacuate or isolate the area according to your local emergency plan. Increase ventilation. Evacuate all unprotected personnel. Use full protective clothing and equipment to minimise exposure.

6.2 Environmental Precautions:

Prevent run off into drains and waterways. If a large quantity of this material enters the environment, contact the relevant regulatory authorities. Dispose of waste according to Federal, E.P.A., State and Local Regulations.

6.3 Methods and Materials for Containment and Clean Up:

Observe all personal protective equipment recommendations described in this MSDS. Shovel or sweep up material avoiding dust generation, or dampen material to avoid airborne dust. Place into clean, dry, suitable labelled containers and close lids tightly. Wash contaminated surfaces well with soap and water. Laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which laws and regulations are applicable.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Use in a well ventilated area. Avoid generating dust. Avoid contact with the skin and eyes. Any exposure without protection should be prevented. Do not take internally. Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.

7.2 Conditions for Safe Storage, Including Any Incompatibilities:

Store in a cool, dry, well ventilated area, away from direct sunlight and moisture. Keep well closed when not in use and securely sealed against physical damage. Store away from strong oxidising agents and acids. Avoid prolonged storage in excessive heat conditions.

White King In-Bowl Power Hanger

8.2

Issued: 25th March 2014 Version: 1 Page 4 of 7 **Agua Fresh**

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 National Exposure Standards: No value is assigned for this specific material by the National Occupational Health and Safety Commission (Australia).

Biological Limit Values: No biological limit allocated.

Ensure adequate ventilation. If dust is generated, local 8.3 **Engineering Controls:**

exhaust ventilation should be used.

8.4 **Personal Protective Equipment:**

> Respiratory Domestic quantities require no special equipment with normal

> > careful use. When handling bulk quantities. Avoid breathing dust. Where ventilation is inadequate and dust is generated, respiratory protective equipment should be used suitable for protecting against airborne contaminants. Reference should be made to Australian Standards: AS/NZS 1715 Selection, use

and maintenance of respiratory protective devices; and

AS/NZS 1716 Respiratory protective devices.

Wear safety glasses or goggles or face shield. Do not wear Eye

contact lenses. Ensure eyewash is available. Eye protection should conform with AS/NZS 1337 Eye protectors for

industrial applications.

Skin Wear gloves of impervious material. Refer to AS/NZS 2161.1

Occupational protective gloves – Selection use and maintenance.

Wear appropriate clothing, including a chemical resistant apron, where clothing is likely to be contaminated. Industrial clothing should conform to the specifications detailed in

AS/NZS 2919: Industrial Clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **Physical Description / Properties**

> Appearance: White/blue solid.

Odour: Characteristic fragrance.

6.0 - 8.0pH: **Viscosity** Not applicable Vapor Pressure: Not available Vapor Density: Not available Boiling Point (°C): Not available Freezing Point (°C): Not available Melting Point (°C): Not available Solubility In Water: Soluble (slowly) Specific Gravity (@ 25°C): Not available Flash Point (°C): Not available **Flammability** Not available

White King In-Bowl Power Hanger
Agua Fresh

Version: 1 Issued: 25th March 2014

Page 5 of 7

Lower Explosive Limit (%):

Upper Explosive Limit (%):

Not available

Not available

Not available

Not available

Not available

10. STABILITY AND REACTIVITY

10.1 Reactivity: Hazardous polymerisation will not occur.

10.2 Chemical Stability: The product is stable under normal ambient conditions of

temperature and pressure.

10.3 Conditions To Avoid: Extremes of temperature and direct sunlight.
10.4 Incompatible Materials: Strong oxidising agents and strong acids.

10.5 Hazardous Decomposition Chlorine.

Products:

11. TOXICOLOGICAL INFORMATION

11.1 Likely Route of Exposure: [] Inhalation [X] Skin contact [] Ingestion

11.2 Health Effects From Likely Route of Exposure:

Acute

Ingestion: Harmful if swallowed. Ingestion of this product will irritate the gastric

tract, causing nausea and vomiting.

Eye: Risk of serious damage to eyes. On eye contact this product will cause

stinging, blurring, lachrymation, severe pain and possible permanent

corneal damage.

Skin: Irritating to skin. Skin contact will cause redness and itching.

Inhalation: Inhalation of vapours or dust may cause irritation of the nose, throat

and respiratory system.

Chronic

Ingestion: Not available.

Skin: Repeated or prolonged skin contact may cause dermatitis due to

defatting effect.

Inhalation: Not available.

11.3 Other Information: No known applicable information.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity: No information available.
12.2 Persistence and Degradability: No information available.
12.3 Bioaccumulation Potential: No information available.
12.4 Mobility: No information available.

12.5 Other Adverse Effects: Avoid contaminating waterways. Do not discharge the

product into drains or sewers.

White King In-Bowl Power Hanger
Agua Fresh

Version: 1 Issued: 25th March 2014

Page 6 of 7

13. DISPOSAL CONSIDERATIONS

13.1 Disposal Method: Reclaim or dispose of in accordance with local and national

regulations.

13.2 Disposal of Contaminated Empty container. Rinse container, remove or obliterate

Packaging: labelling before sending to landfill or recycler.

13.3 Environmental Regulations: Not applicable.

14. TRANSPORTATION INFORMATION

14.1 **UN Number:** Not applicable 14.2 **UN Proper Shipping Name:** Not applicable 14.3 **Dangerous Goods Class:** Not applicable **Packing Group:** Not applicable 14.4 **Environmental Hazards:** Not applicable. 14.5 **Special Precautions for User:** Not applicable 14.6 **HAZCHEM Code:** Not applicable **Additional Shipping Information:** Not applicable

15. REGULATORY INFORMATION

15.1 SUSDP Poisons Schedule: Not scheduled.

15.2 Prohibition / Licensing There are no applicable prohibition or notification / licensing

Requirements: requirements, including for carcinogens under

Commonwealth, State or Territory legislation.

15.3 Industrial Chemicals (Notification All ingredients are listed on, or exempt from, the *Australia*

and Assessment) Act 1989: Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

16.1 Issue Date: 25th March 2014

16.2 Contact Points:

Title / Position: Research & Development Manager

Telephone: (03) 5820 5204 (Australia: Weekdays 8.00am to 5.00pm)

E-mail: enquiries@pental.com.au

After Hours Emergency Medical Poisons Information Centre

16.3 After Hours Emergency Medical

Assistance: Telephone:

Australia: 13 1126

New Zealand: 0800 764 766

Disclaimer:

This information is provided based on our current knowledge and is intended to describe the product for the purpose of health, safety and environment requirements only. Pental Products Pty Ltd makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material. Since Pental Products Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product.

White King In-Bowl Power Hanger Aqua Fresh Version: 1 Issued: 25th March 2014 Page 7 of 7

This document is copyright. No part may be reproduced by any process without written permission from Pental Products Pty Ltd. ® indicates Registered Trademark

DOCUMENT END