



MATERIAL SAFETY DATA SHEETS

White King Glass & Chrome
Cleaner

Version: 1 Issued: 5th September 2016 Page 1 of 6

CLASSIFICATION OF MATERIAL

Not classified as hazardous according to criteria of the Globally Harmonised System of Classification and Labelling of Chemicals 3rd Revised Edition.

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| | | |
|-----|-------------------------------------|--|
| 1.1 | Product: | White King Glass Cleaner |
| 1.2 | UN Proper Shipping Name: | None allocated |
| 1.3 | Recommended Use: | Glass Cleaner |
| 1.4 | Supplier: | Pental Products Pty Ltd |
| 1.5 | A.B.N: | 68 103 213 467 |
| 1.6 | Address: | 48 Drummond Road, Shepparton, Victoria, 3630 |
| 1.7 | Telephone Number: | (03) 5820 5200 (Australia) |
| 1.8 | Facsimile: | (03) 5820 5221 (Australia) |
| 1.9 | Emergency Telephone Numbers: | (03) 5820 5200 (Australia: Weekdays 8.00am to 5.00pm) Poisons Information Centre Australia: 13 1126 Poisons Information Centre New Zealand: 0800 764 766 |

2. HAZARDS IDENTIFICATION

| | | |
|-----|-------------------------------|---|
| 2.1 | Hazard Classification: | Non-hazardous Substance. Non-Dangerous Goods. |
| 2.2 | GHS Classification: | Not applicable. |
| 2.3 | Hazard Statements: | No hazard statements. |
| 2.4 | Prevention Statements: | P102 Keep out of reach of children. P103 Read label before use. P104 Read Safety Data Sheet before use. |
| 2.5 | Response Statements: | No response statements. |
| 2.6 | Storage Statements: | No storage statements. |
| 2.7 | Disposal Statements: | P501 Dispose of waste material through a licensed contractor or facility. |

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS Number | Proportion % |
|---------------------|-------------|--------------|
| Ethanol | 64-17-5 | 1-5% |
| Nonionic surfactant | 68515-73-1 | 1-5% |
| Potassium Citrate | 6100-05-6 | <1% |
| Glycerin | 56-81-5 | <1% |
| Acrylic Homopolymer | Proprietary | <1% |
| Citric Acid | 77-92-9 | <1% |

MATERIAL SAFETY DATA SHEETS

White King Glass & Chrome
Cleaner

Version: 1 Issued: 5th September 2016 Page 2 of 6

| | | |
|--|--------------|-------------------|
| Fragrance | Proprietary | <0.5% |
| Preservative | Proprietary | <0.1% |
| Colours | Proprietary | <0.1% |
| Ingredients determined not to be hazardous | Not required | (Balance to 100%) |

4. FIRST AID MEASURES

4.1 Description of Necessary First Aid Measures

| | |
|--------------------|---|
| Ingestion: | Immediately remove product from the mouth and rinse mouth out with plenty of water. Drink 1 or 2 glasses of water (or milk). If a large amount swallowed, or symptoms develop, obtain medical attention. |
| Eye: | Immediately hold the eyes open and wash with fresh running water for at least 15 minutes. Ensure complete irrigation of the eye by keeping the eyelids apart and away from the eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention. |
| Skin: | Remove any contaminated clothing. Wash off with soap and water. If skin irritation occurs, seek medical attention. |
| Inhalation: | Remove from source of exposure. Monitor symptoms and progress to assess the need for medical attention. |

4.2 Medical Attention and Special Treatment

| | |
|------------------------------|--|
| First Aid Facilities: | No special facilities required. |
| Comments: | Treat according to person's condition and specifics of exposure. |
| Advice to Doctor: | Treat symptomatically. |

5. FIRE FIGHTING MEASURES

| | |
|--|---|
| 5.1 Suitable Extinguishing Equipment: | Carbon dioxide, dry chemical powder, water spray or fog and foam may be used as extinguishing media. Water can be used to cool fire exposed containers. |
| 5.2 Specific Hazards Arising From The Chemical: | Non-flammable. On combustion, may emit traces of incompletely burned carbon compounds, chlorine compounds and oxides of sulphur, nitrogen, phosphorous and metals. |
| 5.3 Special Protective Equipment and Precautions For Fire Fighters: | Determine the need to evacuate or isolate the area according to your local emergency plan. Fire fighters should wear self-contained breathing apparatus to minimise risk of exposure to vapour or products of combustion. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|---|---|
| 6.1 Personal Precautions, Protective Equipment and Emergency Procedures: | Avoid eye and skin contact. Determine whether to evacuate or isolate the area according to your local emergency plan. Caution, spill site may be slippery. Increase ventilation. Evacuate all unprotected personnel. Use full protective clothing and equipment to minimise exposure. |
|---|---|

MATERIAL SAFETY DATA SHEETS

White King Glass & Chrome
Cleaner

Version: 1 Issued: 5th September 2016 Page 3 of 6

- 6.2 Environmental Precautions:** Prevent run off into drains and waterways. If a large quantity of this material enters the environment, contact the relevant regulatory authorities. Dispose of waste according to Federal, E.P.A., State and Local regulations.
- 6.3 Methods and Materials for Containment and Clean Up:** Observe all personal protective equipment recommendations described in this MSDS. Contain spill. If leaked material can be pumped, store recovered material in appropriate containers. Clean up remaining materials from spill with suitable absorbent. Dispose of saturated absorbent material or cleaning materials appropriately. Laws and regulations may apply to releases and disposal of this material. You will need to determine which laws and regulations are applicable.

7. HANDLING AND STORAGE

- 7.1 Precautions for Safe Handling:** Use in a well-ventilated area. Avoid breathing in mists or vapour. Avoid skin and eye contact. Do not take internally. Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking, smoking or using toilet facilities.
- 7.2 Conditions for Safe Storage, Including Any Incompatibilities:** Store in a cool, dry area, away from heat and out of direct sunlight. Store away from oxidising agents and strong acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1 National Exposure Standards:** Not exposure standard allocated.
- 8.2 Biological Limit Values:** No biological limit allocated.
- 8.3 Engineering Controls:** Ensure adequate ventilation. If mists or vapours are produced local exhaust ventilation should be used.
- 8.4 Personal Protective Equipment:**
- Respiratory:** Domestic quantities require no special equipment with normal careful use. When handling bulk quantities. Avoid breathing mists or vapours. Where ventilation is inadequate and mists or vapours are generated, respiratory protective equipment should be used suitable for protecting against airborne contaminants. Reference should be made to Australian Standards: AS/NZS 1715 Selection, use and maintenance of respiratory protective devices; and AS/NZS 1716 Respiratory protective devices.
- Eye:** Domestic quantities require no special equipment with normal careful use. When handling bulk quantities. Avoid eye contact. Safety glasses with side shields, goggles or face shield should be worn. Eye protection should conform with AS/NZS 1337 Eye protectors for industrial applications.
- Skin:** Domestic quantities require no special equipment with normal careful use. Care should be taken with sensitive or damaged skin. When handling bulk quantities. Wear gloves of impervious material. Refer to AS/NZS 2161.1 Occupational protective gloves – Selection use and maintenance.
- Wear appropriate clothing, including a chemical resistant apron, where clothing is likely to be contaminated. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial Clothing.

MATERIAL SAFETY DATA SHEETS

White King Glass & Chrome
Cleaner

Version: 1 Issued: 5th September 2016 Page 4 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical Description / Properties

| | |
|---------------------------------|----------------------------|
| Appearance: | Clear blue liquid |
| Odour: | Characteristic odour |
| pH: | 4.5 - 5.5 |
| Viscosity (cP @ 25°C): | <100 |
| Vapor Pressure: | Not applicable |
| Vapor Density: | Not applicable |
| Boiling Point (°C): | Not determined |
| Freezing Point (°C): | Not determined |
| Melting Point (°C): | Not determined |
| Solubility In Water (g/100 mL): | Soluble in all proportions |
| Specific Gravity (@ 25°C): | ~1.0g/mL |
| Flash Point (°C): | Not determined |
| Lower Explosive Limit (%): | Not determined |
| Upper Explosive Limit (%): | Not determined |
| Autoignition Temp (°C): | Not determined |
| Decomposition Temp (°C): | Not determined |

10. STABILITY AND REACTIVITY

| | | |
|------|--|---|
| 10.1 | Reactivity: | Hazardous polymerisation will not occur. |
| 10.2 | Chemical Stability: | The product is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. |
| 10.3 | Conditions To Avoid: | Direct sunlight and heat. |
| 10.4 | Incompatible Materials and Possible Hazardous Reactions: | Strong oxidising agents and strong acids. |
| 10.5 | Hazardous Decomposition Products: | Thermal decomposition may result in release of oxides of carbon, nitrogen, phosphorous and sulphur. |

11. TOXICOLOGICAL INFORMATION

11.1 Likely Route of Exposure: Inhalation Skin contact Ingestion

11.2 Health Effects From Likely Route of Exposure:

Acute

Ingestion: Low ingestion hazard in normal use. Considered an unlikely route of entry in commercial/industrial environments. Low toxicity. Large doses may result in nausea, vomiting, diarrhoea and gastrointestinal irritation.

Eye: Direct contact may produce mild irritation to the eye causing some inflammation and lachrymation. Repeated or prolonged exposure may produce corneal damage or conjunctivitis.

Skin: No significant irritation expected from a single short-term exposure. Itching, redness and rash may occur in susceptible individuals. The material may accentuate pre-existing skin conditions.

MATERIAL SAFETY DATA SHEETS

White King Glass & Chrome
Cleaner

Version: 1 Issued: 5th September 2016 Page 5 of 6

Inhalation: Considered an unlikely route of entry in commercial/industrial environments. Inhalation hazard is increased at higher temperatures. Acute effects from inhalation of high concentrations of vapour are pulmonary irritation, including coughing, with nausea; central nervous system depression - characterised by headache and dizziness, increased reaction time, fatigue and loss of co-ordination.

Chronic

Ingestion: Repeated ingestion or swallowing large amounts may injure internally.

Skin: The material may cause skin irritation after prolonged or repeated exposure in susceptible individuals and may produce a contact dermatitis (non-allergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis.

Inhalation: No known applicable information.

11.3 **Other Information:** No known applicable information.

12. ECOLOGICAL INFORMATION

- 12.1 **Ecotoxicity:** Not data available.
12.2 **Persistence and Degradability:** Biodegradable.
12.3 **Bioaccumulation Potential:** No information available.
12.4 **Mobility in Soil:** No information available.
12.5 **Other Adverse Effects:** No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATIONS

- 13.1 **Disposal Method:** Single unit: Dispose of into landfill.
Large amounts: Prevent drain or sewer contamination. Reclaim or dispose of in accordance with local, state and federal regulations.
13.2 **Disposal of Contaminated Packaging:** Recycle or landfill.
13.3 **Environmental Regulations:** Not relevant.

14. TRANSPORTATION INFORMATION

- 14.1 **UN Number:** Not applicable.
14.2 **UN Proper Shipping Name:** Not applicable.
14.3 **Dangerous Goods Class:** Not applicable.
Packing Group: Not applicable.
14.4 **Environmental Hazards:** Not applicable.
14.5 **Special Precautions During Transport:** Not applicable.
14.6 **HAZCHEM Code:** Not applicable.
Additional Shipping Information: Not applicable.

MATERIAL SAFETY DATA SHEETS

White King Glass & Chrome
Cleaner

Version: 1 Issued: 5th September 2016 Page 6 of 6

15. REGULATORY INFORMATION

- 15.1 SUSDP Poisons Schedule:** None allocated.
- 15.2 Prohibition / Licensing Requirements:** There are no applicable prohibition or notification / licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.
- 15.3 Industrial Chemicals (Notification and Assessment) Act 1989:** All ingredients are listed on or exempt from the Australia Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

- 16.1 Issue Date:** 5th September 2016.
- 16.2 Contact Points:**
- Title / Position:** Research & Development Manager.
- Telephone:** (03) 5820 5204 (Australia: Weekdays 8.00am to 5.00pm).
- E-mail:** enquiries@pental.com.au
- 16.3 After Hours Emergency Medical Assistance:** Poisons Information Centre.
- Telephone:** Australia: 13 1126.
New Zealand: 0800 764 766.

Disclaimer:

This information is provided based on our current knowledge and is intended to describe the product for the purpose of health, safety and environment requirements only. Pental Products Pty Ltd makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material. Since Pental Products Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product.

This document is copyright. No part may be reproduced by any process without written permission from Pental Products Pty Ltd. ® indicates Registered Trademark

DOCUMENT END